



Catalog No. 9T51B0129

Description: ENCLOSED SMALL POWER TRANSFORMERS

UPC No 783173008652

Products > Transformers > Dry Type, Encapsulated, Enclosed > Buck Boost

These GE transformers feature an encapsulated core and coil in a NEMA 3R non-ventilated weatherproof enclosure.

- UL Listed
- C-UL Listed
- Knockouts provided on back and bottom
- High grade silicon steel core
- Mounting holes on side for easy access
-
- Wiring compartment includes ground stud

Descriptors

| | |
|-------------|------------|
| Category | Buck Boost |
| GO Schedule | T6 |

Specifications

| | |
|------------------|------------|
| Phase | 1 |
| PriVoltage | 120x240 |
| SecVoltage | 16/32 |
| KVA | 0.75 KVA |
| Coil Material | CU |
| TempRise | 100.0 °C |
| ElecShield | N |
| SubType | BUCK BOOST |
| Frequency | 60 Hz |
| FrameSize | 12200 |
| Net Weight | 25 |
| TempClass | 180.0 °C |
| AmbTemp | 40.0 °C |
| InsulSys | IS-12 |
| EnergyEfficiency | None |
| KFactor | K1 |
| Enclosure Type | NEMA 3R |
| Net Weight | 25 |
| Sound | Std |
| GSA Compliance | Yes |

Classifications

| | |
|-----|-----|
| UL | Yes |
| cUL | Yes |
| CE | No |

Dimensions

| | |
|--------|--------|
| Width | 7.9 in |
| Depth | 5.5 in |
| Height | 9.6 in |

Publications

| Title | Publication No. | Publication Type |
|--|-----------------|----------------------------------|
| Transformer Outline Drawing Outline drawing in .pdf format. | 303B920AAP004 | Drawings-Outline and Dimensional |

Additional Documentation: Visit our [Publication Library](#) to find technical documentation, time current curves, CSI Specifications and promotional literature.