


# Grounding Products



- Safe, fast and efficient for cost-effective grounding jobs
- Ensures compliance with Article 250 of the National Electrical Code

## Pigtails




Solid

Stranded

Combo

## Grounding Connectors



Twist-on

Crimps

## Accessories



Screws




Made in U.S.A. of U.S. and Global Components



Meet the requirements of today's electrical code

## We've got grounding covered

Grounding Pigtails are designed for a wide variety of grounding applications. The ultra-flexible lead wire and bonding jumpers make for fast and efficient pigtailing.



### Solid (w/loop and Ground Screw):

- **14 AWG**  
- 8 in.
- **12 AWG**  
- 6-1/2 in.  
- 8 in.  
- 10 in.  
- 12 in.

### Stranded:

- **14 AWG**  
- 8 in. w/#10 Fork and #10 Ring & Ground Screw
- **12 AWG**  
- 8 in. w/#10 Fork and Stripped End  
- 8 in. w/#10 Fork & #10 Ring  
- 8 in. w/#10 Fork and #10 Ring & Ground Screw  
- 10 in. w/#10 Fork and #10 Ring & Ground Screw  
- 12 in. w/#10 Fork and #10 Ring & Ground Screw

### Combo (12 AWG only):

- **2-Wire**
- **3-Wire**



### Solid




Thread-forming, hole-finding ground screw with combination Slotted, Phillips, Hex and #2 Robertson head

Heavy-duty fork terminals attach easily to device grounding screw



### Stranded



### Combo



### Grounding Screw


- Thread-forming, hole-finding grounding screw
- Combination Slotted, Phillips, Hex and #2 Robertson head



**with the complete grounding product line from IDEAL.**

### **Greenie®, Green-B® & WGR Grounding Connectors**

- Designed for making ground connections and bonding non-metallic sheathed cable
- UL Listed and CSA Certified; fully meets the intent of NEC sections 250.146 and 250.148




**Greenie®**  
MIN. 2 #14  
MAX. 3 #12 w/1 #14

**Green-B®**  
MIN. 2 #14  
MAX. 5 #12

**WGR**  
MIN. 2 #14  
MAX. 5 #12


### **BUCHANAN Splice Cap Copper Crimp Connectors**

- Designed for making fast, permanent, pressure-type connections
- Solid copper sleeves require less crimping pressure
- Resists corrosion in harsh environments
- UL486C Listed and CSA C22.2 #188 Certified; UL467 Listed for grounding and bonding applications



### **Steel Crimp Connectors**


- Designed for making fast, permanent, pressure-type connections
- Zinc-plated steel
- UL486C Listed and CSA C22.2 #188 Certified; UL467 Listed for grounding and bonding applications



### **Also Available: Non-Grounding Pigtails**

**8 in. 12 AWG Stranded Pigtails**

- White or Black, #10 Fork & Stripped End







# Grounding Products

Solid Wire Grounding Tails	Quantity/Pkg.	Cat. No.
14 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Box of 50	<b>30-3390</b>
12 AWG solid, 6.5" tail w/loop & ground screw and stripped end	Box of 50	<b>30-3404</b>
12 AWG solid, 6.5" tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	<b>30-3402</b>
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Box of 50	<b>30-3392</b>
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Plastic Box of 100	<b>30-3399</b>
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	<b>30-3496</b>
12 AWG solid, 10 in. tail w/loop & ground screw and stripped end	Bag of 50	<b>30-3410</b>
12 AWG solid, 10 in. tail w/loop & ground screw and stripped end	Bulk Pack of 500	<b>30-3394</b>
12 AWG solid, 12 in. tail w/loop & ground screw and stripped end	Box of 50	<b>30-3498</b>
12 AWG solid, 12 in. tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	<b>30-3396</b>
Stranded Wire Grounding Tails	Quantity/Pkg.	Cat. No.
14 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bag of 25	<b>30-3183</b>
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bag of 25	<b>30-3184</b>
12 AWG stranded, 8 in. tail w/#10 ring & ground screw and stripped end	Bulk Pack of 1,000	<b>30-3201</b>
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 1,000	<b>30-3284</b>
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Plastic box of 50	<b>30-3385</b>
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring	Bulk pack of 1,000	<b>30-3285</b>
12 AWG stranded, 8 in. tail w/#10 fork and stripped end	Bag of 25	<b>30-3480</b>
12 AWG stranded, 8 in. tail w/#10 fork and stripped end	Bulk pack of 1,000	<b>30-3580</b>
12 AWG stranded, 10 in. tail w/#10 fork & #10 ring and ground screw	Box of 50	<b>30-3310</b>
12 AWG stranded, 10 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 500	<b>30-3311</b>
12 AWG stranded, 12 in. tail w/#10 fork & #10 ring and ground screw	Box of 50	<b>30-3412</b>
12 AWG stranded, 12 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 1,000	<b>30-3413</b>
Combo Tails	Quantity/Pkg.	Cat. No.
2-wire combo: 12 AWG solid tail, one stripped end, one end w/ground screw; joined to 12 AWG stranded tail at a ring terminal, w/fork terminal on second end	Box of 500	<b>30-3286</b>
2-wire combo: 12 AWG stranded w/#10 ring & ground screw, one stripped-end tail and one #10 fork tail	Bag of 25	<b>30-3287</b>
2-wire combo: 12 AWG stranded w/#10 ring and ground screw and two #10 fork tails	Bag of 25	<b>30-3288</b>

Combo Tails	Quantity/Pkg.	Cat. No.
3-wire combo: 12 AWG stranded w/#10 ring & ground screw, one stripped-end tail and two #10 fork tails	Bag of 25	<b>30-3289</b>
Miscellaneous Grounding Products	Quantity/Pkg.	Cat. No.
Ground screw, thread-forming, hole-finding, combination hex, Phillips, slotted and Robertson tip	Jar of 100	<b>30-3594</b>
	Pack of 50	<b>30-3194</b>
Grounding Connectors	Quantity/Pkg.	Cat. No.
92® Greenie®	Box of 100	<b>30-092</b>
	Jar of 150	<b>30-092J</b>
	Keg of 5,000 (10 bags, 500 ea.)	<b>30-292</b>
	Box of 1,000	<b>30-192</b>
BGR Green-B®	Box of 50	<b>BGR-1</b>
	Keg of 2,500 (10 bags, 250 ea.)	<b>BGR-B</b>
WGR Green	Box of 50	<b>WGR-1</b>
	Jar of 500	<b>WGR-500JR</b>
	Keg of 5,000 (20 bags, 250 ea.)	<b>WGR-B</b>
Steel & Copper Crimp Connectors	Quantity/Pkg.	Cat. No.
Model 410 Steel Crimps 18 AWG - 10 AWG Min. 1 #14 & 1 #18; Max. 2 #10 & 2 #14	Bag of 100	<b>30-410</b>
	Carton of 1,000	<b>30-510</b>
	Keg of 10,000	<b>30-610</b>
Model 411 Steel Crimps 18 AWG - 8 AWG Min. 3 #12; Max. 4 #10	Box of 50	<b>30-411</b>
	Carton of 1,000	<b>30-511</b>
Model 412 Steel Crimps 18 AWG - 4 AWG Min. 1 #14 & 1 #16; Max. 2 #8 & 1 #6	Box of 50	<b>30-412</b>
	Carton of 1,000	<b>30-512</b>
BUCHANAN Splice Cap Copper Crimps 18 AWG - 10 AWG Min. 2 #18; Max. 4 #12	Bag of 100	<b>2006S</b>
	Bag of 1,000	<b>2006SB</b>
BUCHANAN Splice Cap Copper Crimps 14 AWG - 4 AWG Min. 2 #10; Max. 2 #6	Bag of 50	<b>2011S</b>
	Bag of 500	<b>2011SB</b>
Non-Grounding Stranded Wire Pigtails	Quantity/Pkg.	Cat. No.
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, white	Bag of 25	<b>30-3470</b>
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, white	Bulk pack of 1,000	<b>30-3570</b>
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, black	Bag of 25	<b>30-3471</b>
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, black	Bulk pack of 1,000	<b>30-3571</b>

## IDEAL INDUSTRIES, INC.

1375 Park Avenue, Sycamore, IL 60178, USA / 815-895-5181 • 800-435-0705 in USA

International offices: Australia • Brazil • Canada • China • Germany • Mexico • UK  
For complete sales office contact information, visit us at:

[www.idealind.com](http://www.idealind.com)